

Hydrogen Prius Test Results

(Measured by Quantum's Advance Vehicle Division) Grams per Mile

	нс	СО	NOx	CO2	MPK- city	MPK- hwy
2002 Ovonic™ Hydrogen Prius	0.001	0.001	0.018*	3.2**	42.3	46.1
2002 Prius (Gasoline) Baseline	0.010	0.386	0.004	222.8	42.4	45.0
SULEV / PZEV standard	0.010	1.0	0.020	na		

^{* 0.008} in 2004 H₂ Prius

^{**} From lubricants

Ovonic Converted Hydrogen Prius (2004)



Transportations: Two- and Three-Wheelers

Huge market in Asia, Africa, etc.





Commercial Applications

On Standing Seam Metal Roofing



148 kW, Australia 2002



52 kW, Germany 2003



300 kW, China 2004



80 kW, Spain 2003



ovonicsolar





80 KW School, San Diego



100 kW Instructional Media Center, San Diego



200 KW Hawthorn Machinery, San Diego



340 kW Coca-Cola, Los Angeles





Commercial Applications on Membrane



WYSOLAR Grand Valley State University, MI



Alwitra, Germany



Sarnafil, Germany



Solar Integrated Technologies, Los Angeles, CA

ovonics@work.

Ovonic MH H₂ Refueling Station



Ovonic MH H₂ Refueling Station





